

000012962

CORRES CONTROL
INCOMING LTR NO

4935 RF 93

DUE
DATE

Department of Energy

ROCKY FLATS OFFICE
P O BOX 928
GOLDEN COLORADO 80402 0928

Nov 18 12 15 PM '93

NOV 16 1993

ROCKY FLATS
CONNECTIONS

93-DOE-12839

ACTION

DIST. LTR ENC

BENEDETTI, R L	
BENJAMIN A	
BERMAN, H S	
CARNIVAL, G J	
COPP, R D	
CORDOVA R C	
DAVIS J G	
FERRERA, D W	
FRANZ, W A	
HANNI B J	
HEALY T J	
HEDAHL T G	<input checked="" type="checkbox"/>
HILBIG J G	
HUTCHINS N M	
KIRBY W A	
KUESTER A W	
MAHAFFEY J W	
MANN H P	
MARX G E	
McKENNA F G	
MORGAN R V	
PIZZUTO V M	
POTTER G L	
SANDLIN N B	
SATTERWHITE D G	
SCHUBERT A L	
SETLOCK G H	<input checked="" type="checkbox"/>
SULLIVAN M T	
SWANSON E R	
WILKINSON R B	
WILSON J M	

Murray

DSX

Pettis

DSX

Mr J David Holm
Water Quality Control Division
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

Dear Mr Holm,

This purpose of this letter is to confirm the verbal concurrence we received from your staff Tuesday, November 9, 1993, to discharge from the Rocky Flats Plant Terminal Pond A-4 beginning on Wednesday, November 10, 1993, based on the results of both the Rocky Flats sampling and your sample analyses. Because of delays in procurement of the subcontractor who handles discharges from the plant ponds, an erroneous silver result received in September, and elevated levels of water in both Ponds A-4 and B-5, we also intend to do a concurrent transfer of Pond B-5 to Pond A-4 during the Pond A-4 discharge.

We have enclosed the organics, inorganics, and radionuclide analytical results we have received on the Pond A-4 and B-5 samples we split with the Department on October 26, 1993, for your review. Most of these results show values below stream standards. Although the Rocky Flats split sampling for metals showed a value of 87 µg/L for dissolved manganese in Pond B-5, total manganese results for both ponds were almost equivalent, and the Pond A-4 result for dissolved manganese was well below the stream standard of 50 µg/L. This element is found naturally, and is not a typical metal of concern. We believe there may have been an error in the analysis, and will investigate the result. On the basis of discussions with your staff, it has been determined that the variance in results, and presence of this metal is not a concern for this discharge.

We will keep you informed of the pond release status, any significant events that may occur affecting the pond discharge, and any new data results that we may obtain.

If you have any questions or comments regarding our analysis results, please contact Al Howard at 966-5915, or Gail Hill at 966-3424.


CORRES CONTROL	x	x
PATS/1130G		
ADMIN RECORD/000	2	77

Reviewed for Addressee
Corres Control RFP11-18-93
DATE BY

Ref Ltr #

DOE ORDER #5400 1

RF 46522 (Rev 9/93)



Sincerely,

James K Hartman
Assistant Manager for Transition
and Environmental Restoration

Enclosures

w/o enclosures

ADMIN RECORD

A-0006-000530

1/2

93-DOE-12839

cc (w/ Enclosures)
J Bruch, WQCD, CDH

cc (w/o Enclosures)
R. Shankland, EPA
A Howard EPD, RFO
G Hill, EPD, RFO
D Murray, SWD, EG&G
S Pettis, EG&G, SWD

EMD
Record Deficiency
Form

Date 11/22/93

To file

From Sherry L. Stockley

SUBJECT RECEIPT INSPECTION OF THE FOLLOWING RECORD RT - _____

This record has been inspected and was determined deficient for the reason(s) marked below

- ☒ INCOMPLETE (Pages or Attachments/Enclosures missing)
- ☐ INCOMPLETE DATA AVAILABLE FOR RECORD INDEXING Record Date - Record Title/Subject Line - Record Receiver Name and Organization - Record Author Name and Organization - EM file number
- ☐ RECORD QUALITY IS POOR AND WILL NOT PROVIDE AN ADEQUATE MICROFILM IMAGE
- ☒ OTHER (Specify) no enclosures

PLEASE TAKE APPROPRIATE ACTION TO CORRECT THE RECORD AND RETURN WITH THIS FORM TO THE RECORDS CUSTODIAN WITHIN 10 WORKING DAYS OF RECEIPT

COMMENT *The Records Custodian is available to assist you in preparing records for processing*

RECORD SOURCE REPLY

Received Date 11/22/93

- ☐ CORRECTED COPY ATTACHED
- ☒ "BEST AVAILABLE COPY" - PROCESS AS IS
- ☐ RECORD REVISED AT RECORD CENTER

Sherry L. Stockley
Record Source Signature
Completion Date